

# Author Index for 1997

	Issue	Page
Al-Ghadban, Abdul-Nabi — see: Cherif, Omar H., Al-Ghadban, Abdul-Nabi and Al-Rifaiy, Ibrahim A.		
Al-Rifaiy, Ibrahim — see: Cherif, Omar H., Al-Ghadban, Abdul-Nabi and Al-Rifaiy, Ibrahim A.		
Armstrong, S. M. — see: Stancliffe, R.P.W. and Armstrong, S. M.		
Barbero, Rossana Serandrei — see: Donnici, Sandra, Barbero, Rossana Serandrei and Taroni, Giancarlo		
1. Berggren, William A. and Norris, Richard D. — <i>Biostratigraphy, phylogeny and systematics of Paleocene trochospiral planktic foraminifera</i>	S1	1
2. Chauffe, Karl M. and Guzman, Maria — <i>Conodonts from the McCraney limestone and the McCraney-Chouteau limestone transition beds (Kinderhookian, Lower Carboniferous) in northeastern Missouri and west-central Illinois, U.S.A.</i>	3	221
Cheong, Hae-Kyung — see: Resig, Johanna M. and Cheong, Hae-Kyung		
3. Cherif, Omar H., Al-Ghadban, Abdul-Nabi and Al-Rifaiy, Ibrahim A. — <i>Distribution of foraminifera in the Arabian Gulf</i>	3	253
Debenay, Jean-Pierre — see: Fahrni, José F., Pawlowski, Jan, Richardson, Susan, Debenay, Jean-Pierre and Zaninetti Louisette		
4. Donnici, Sandra, Barbero, Rossana Serandrei and Taroni, Giancarlo — <i>Living benthic foraminifera in the Lagoon of Venice (Italy): Population dynamics and its significance</i>	4	440
5. Editors, The — <i>Ellis and Messina Catalogues on CD-Rom</i>	2	184
6. Editors, The — <i>Pre-review form for manuscript evaluation</i>	4	370
7. Fahrni, José F., Pawlowski, Jan, Richardson, Susan, Debenay, Jean-Pierre and Zaninetti Louisette — <i>Actin suggests Miliammina fusca (Brady) is related to porcellaneous rather than to agglutinated foraminifera</i>	2	211
8. Flores, J. A. and Sierro, F. J. — <i>Revised technique for calculation of calcareous nannofossil accumulation rates</i>	3	321
9. Garratt, Jane and Swan, Andrew R. H. — <i>Fourier transforms of image-derived data: application to Albian coccoliths</i>	3	303
Guzman, Maria — see: Chauffe, Karl M. and Guzman, Maria		
10. Hull, Donna Meyerhoff — <i>Upper Jurassic Tethyan and southern Boreal radiolarians from western North America</i>	S2	1
11. Ismail, A. A. and Soliman, S. I. — <i>Cenomanian-Santonian foraminifera and ostracodes from Horus Well-1 North Western Desert, Egypt</i>	2	165
Jakhar, S. R. — see: Khosla, S. C., Jakhar, S. R. and Mohammed, M. H.		
12. Khosla, S. C., Jakhar, S. R. and Mohammed, M. H. — <i>Ostracodes from the Jurassic beds of Habo Hill, Kachchh, Gujarat, India</i>	1	1
13. Krutak, Paul R. and Van Morkhoven, Nancy Day — <i>Memorial to F. P. C. M. Van Morkhoven</i>	2	219
Li, Qianyu — see: McGowran, Brian and Li, Qianyu		
14. Li, Qianyu and McGowran, Brian — <i>Miocene climatic oscillation recorded in the Lakes Entrance oil shaft, southern Australia: benthic foraminiferal response on a mid-latitude margin</i>	2	149
15. Mai Hartmut, Willems, Helmut, and Perch-Nielsen, Katharina von Salis — <i>Braarudosphaera pentagonica n.sp., a new Braarudosphaera from the lowermost Tertiary of Geulhemmerberg (Geulhem, The Netherlands)</i>	2	202
16. Mai, Hartmut, Perch-Nielsen, Katharina v. Salis, Willems, Helmut, Romein, Ton — <i>Fossil coccospheres from the K/T boundary section from Geulhemmerberg, The Netherlands</i>	3	281
Martínez, Ignacio — see: Vergara, Luis, Rodríguez, Germán and Martínez, Ignacio		
McGowran, Brian — see: Li, Qianyu and McGowran, Brian		
17. McGowran, Brian and Li, Qianyu — <i>Miocene climatic oscillation recorded in the Lakes Entrance oil shaft, southern Australia: reappraisal of the planktonic foraminiferal record</i>	2	129
Mohammed, M. H. — see: Khosla, S. C., Jakhar, S. R. and Mohammed, M. H.		
Norris, Richard D. — see: Berggren, William A. and Norris, Richard D.		

18. O'Connor, Barry — <i>Lower Miocene Radiolaria from Te Kopua Point, Kaipara Harbour, New Zealand</i>	2	101
19. O'Connor, Barry — <i>New Radiolaria from the Oligocene and early Miocene of Northland, New Zealand</i>	1	63
Pawlowski, Jan — see: Fahrni, José F., Pawlowski, Jan, Richardson, Susan, Debenay, Jean-Pierre and Zaninetti Louisette		
Perch-Nielsen, Katharina v. Salis — see: Mai, Hartmut, Perch-Nielsen, Katharina v. Salis, Willems, Helmut, Romein, Ton; see also: Mai, Hartmut, Willems, Helmut, and Perch-Nielsen, Katharina von Salis		
20. Resig, Johanna M. and Cheong, Hae-Kyung — <i>Pliocene-Holocene benthic foraminiferal assemblages and water mass history, ODP 806B, western equatorial Pacific</i>	4	419
Richardson, Susan — see: Fahrni, José F., Pawlowski, Jan, Richardson, Susan, Debenay, Jean-Pierre and Zaninetti Louisette		
Rodríguez, Germán — see: Vergara, Luis, Rodríguez, Germán and Martínez, Ignacio		
Romein, Ton — see: Mai, Hartmut, Perch-Nielsen, Katharina v. Salis, Willems, Helmut, Romein, Ton		
Samir, Ashraf M. — see: Speijer, Robert P. and Samir, Ashraf M.		
21. Servais, Thomas — <i>Review of Palynology: Principles and Applications</i> . Edited by Jan Jansonius, and D. Colin McGregor	3	332
22. Sharma, V. and Singh, Surender — <i>Late Neogene Radiolarian events in Andaman-Nicobar Islands, northeast Indian Ocean</i>	1	41
Sierro, F.J. — see: Flores, J. A. and Sierro, F. J.		
Singh, Surender — see: Sharma, V. and Singh, Surender		
23. Sirel, Ercüment — <i>Karsella, a new complex Orbitolinid (Foraminiferida) from the Thanetian limestone of the Van region (East Turkey)</i>	2	206
Soliman, S. I. — see: Ismail, A. A. and Soliman, S. I.		
24. Sorhannus, Ulf — <i>The origination time of diatoms: An analysis based on ribosomal RNA data</i>	2	215
25. Speijer, Robert P. and Samir, Ashraf M. — <i>Globanomalina luxorensis, a Tethyan biostratigraphic marker of latest Paleocene global event</i>	1	51
26. Stancliffe, R. P. W. and Armstrong, S. M. — <i>Bacterial degradation of bisaccate pollen grains from the Mannville Group (Cretaceous), Alberta, Canada and possible implications for heavy oil production</i>	3	318
Swan, Andrew R. H. — see: Garratt, Jane and Swan, Andrew, R. H.		
Taroni, Giancarlo — see: Donnici, Sandra, Barbero, Rossana Serandrei and Taroni, Giancarlo		
Van Morkhoven, Nancy Day — see: Krutak, Paul R. and Van Morkhoven, Nancy Day		
27. Vergara, Luis, Rodríguez, Germán and Martínez, Ignacio — <i>Agglutinated foraminifera and sequence stratigraphy from the Chipaque Formation (Upper Cretaceous) of El Crucero section, Colombia, South America</i>	2	185
Willems, Helmut — see: Mai, Hartmut, Perch-Nielsen, Katharina v. Salis, Willems, Helmut, Romein, Ton; see also: Mai, Hartmut, Willems, Helmut and Perch-Nielsen, Katharina von Salis		
28. Won, Mun-Zu — <i>Review of family Entactiniidae (Radiolaria), and taxonomy and morphology of Entactiniidae in the late Devonian (Frasnian) Gogo formation, Australia</i>	4	333
29. Won, Mun-Zu — <i>The proposed new radiolarian subfamily Retentactiniinae (Entactiniidae from the late Devonian (Frasnian) Gogo formation, Australia</i>	4	371
30. Wood, Gordon D. — <i>The acritarch Proteolobus wallii gen. et sp. nov. from the Devonian Iquiri Formation of Bolivia: a possible coenobial alga</i>	3	325
Zaninetti Louisette — see: Fahrni, José F., Pawlowski, Jan, Richardson, Susan, Debenay, Jean-Pierre and Zaninetti Louisette		

# Subject Index for 1997

NOTE: Names of new taxa are set in **bold-face** type. Numbers refer to papers listed in the author index.

- acritarchs
  - Proteolobus wallii*, 30
- Albian
  - coccoliths
    - Fourier transforms, 9
- Arabian Gulf
  - foraminifera
    - distribution, 3
- Australia
  - Devonian
    - Radiolaria, 28, 29
  - Miocene
    - foraminifera, benthic, 14
    - foraminifera, planktonic, 17
- biostratigraphy
  - Paleocene
    - foraminifera, 1
- Bolivia
  - Devonian
    - acritarchs, 30
- Canada
  - Cretaceous
    - pollen, 26
- Carboniferous, Lower
  - conodonts
    - Illinois and Missouri, 2
- Cenomanian-Santonian
  - Egypt, North Western Desert, 11
  - climatic oscillation, Miocene, 14, 17
- coccoliths
  - Albian
    - Fourier transforms, 9
- coccospheres
  - K/T boundary
    - Geulhemmerberg, The Netherlands, 16
- Columbia
  - Cretaceous, Upper
    - foraminifera, agglutinated, 27
- Conodonts
  - Carboniferous, Lower
    - Illinois and Missouri, 2
- Cretaceous, Upper
  - Columbia
    - foraminifera, agglutinated, 27
- Devonian
  - Australia
    - Radiolaria, 28, 29
  - Bolivia
    - acritarchs, 30
- Diatoms
  - RNA analysis, 24
- Egypt, North Western Desert
  - Cenomanian-Santonian
    - foraminifera, 11
    - ostracodes, 11
- foraminifera
  - Arabian Gulf
    - distribution, 3
    - benthic, 4
  - Cenomanian-Santonian
    - Egypt, North Western Desert, 11
  - Cretaceous, Upper
    - Columbia, 27
  - Globanomalina imitata*, 1
  - Karsella*, 23
  - Karsella hottingeri*, 23
  - living, 4
  - molecular analysis, 7
  - Miliammina fusca* (Brady), 7
  - Miocene
    - Australia, southern, 14, 17
  - Nezzazata convexa*, 11
  - Paleocene
    - biostratigraphy, 1
  - Pliocene-Holocene
    - Pacific, western equatorial, 20
  - Thanetian
    - Turkey, Van Region, 23
  - Fourier transforms, 9
  - Geulhemmerberg, The Netherlands
    - K/T boundary
      - coccospheres, 16
    - Tertiary, lowermost
      - nannofossils, 15
  - Globanomalina luxorensis*, 25
  - heavy oil, 26
  - Illinois, McCraney-Chouteau limestone, 2
  - India, Kachchh
    - Jurassic
      - ostracode zonation, 12
  - Indian Ocean
    - Neogene
      - Radiolaria, 22
  - Italy, Venice
    - foraminifera
      - living, 4
  - Jurassic
    - India, Kachchh
      - ostracodes, 12
    - North America, western
      - Radiolaria, 10
  - K/T boundary
    - Geulhemmerberg, The Netherlands, 16
  - Miocene
    - Australia, southern
      - foraminifera, benthic, 14
      - foraminifera, planktonic, 17
    - New Zealand
      - Radiolaria, 18
  - Missouri, McCraney-Chouteau limestone, 2
  - nannofossils
    - accumulation rates
      - calculation, 8
    - Braurudosphaera pentagonica*, 15
  - Neogene
    - Indian Ocean
      - Radiolaria, 22
  - New Zealand
    - Miocene, early
      - radiolaria, 19
    - Oligocene
      - radiolaria, 19
  - North America, western
    - Jurassic, Upper
      - Radiolaria, 10
  - ostracodes
    - Cenomanian-Santonian
      - Egypt, North Western Desert, 11
    - Jurassic
      - India, Kachchh, 12
  - ostracodes, new taxa
    - Bairdia bassiounii*, 11
  - Bairdia compressa*, 11
  - Bairdia elongata*, 11
  - Batella*, 12
  - Batella clavata*, 12
  - Batella depressa*, 12
  - Cyrtocapsa osculum*, 19
  - Cytherella kalajarensis*, 12
  - Cytherelloidea bhujensis*, 12
  - Cytherelloidea dhrangensis*, 12
  - Cytherelloidea langijarensis*, 12
  - Cytherelloidea paraidfficala*, 12
  - Cytheroptera devai*, 12
  - Cytheroptera pandeyi*, 12
  - Cytheroptera sajjaniae*, 12
  - Habocythere*, 12
  - Habocythere diluta*, 12
  - Habocythere ventrisulcata*, 12
  - Heliodiscus tunicatus*, 19
  - Lithomelissa gelisinus*, 19
  - Lithomelissa maureenae*, 19
  - Lophocyrtis* (Paralampterium) *inaequalis*, 19
  - Lophophoena tekopua*, 19
  - Lychnocanium neptunei*, 19
  - Majungaella perforata kachchhensis*, 12
  - Majungaella rasilis*, 12
  - Mandelstamia depecheae*, 12
  - Mesocytheridea? mathuri*, 12
  - Nophrecythere whatleyi*, 12
  - Plannapus*, 19
  - Plannapus microcephalus*, 19
  - Procytheridea kachchhensis*, 12
  - Progonocythere haboensis*, 12
  - Rhopalastrum tritelum*, 19
  - Schuleridea* (*Eoschuleridea*) *soodani*, 12
  - Stichocorys negripontensis*, 19
  - Theocorys bianulus*, 19
  - Theocorys perforatus*, 19
  - Theocorys puriri*, 19
  - Trichordis* (*Trichordis*) *gujaratensis*, 12
  - Valkyria*, 19
  - Valkyria pakapuka*, 19
  - Pacific, western equatorial
    - Pliocene-Holocene
      - foraminifera, 20
  - Paleocene
    - biostratigraphy
      - foraminifera, 1
    - Tethyan biostratigraphy, 25
  - palynology
    - book review, 21
    - heavy oil, 26
  - Pliocene-Holocene
    - Pacific, western equatorial
      - foraminifera, 20
  - pollen
    - bacterial degradation, 26
  - Radiolaria
    - Entactiniidae, 28
    - Jurassic, Upper
      - North America, western, 10
    - Miocene, early
      - New Zealand, 19
    - Neogene
      - Indian Ocean, 22
    - New Zealand
      - Miocene, lower, 18
    - Oligocene

New Zealand, 19  
 Radiolaria, new taxa  
*Acanthocircus meyerhofforum*, 10  
*Acanthosphaera? lucida*, 10  
*Acastia incontraria*, 10  
*Acastea proluxa*, 10  
*Acastea remusa*, 10  
*Acastea tenuis*, 10  
*Advena*, 10  
*Advena mystica*, 10  
*Angulobracchia bulbosa*, 10  
*Angulobracchia jasperensis*, 28  
*Angulobracchia ozvoldovae*, 28  
*Anthocytidium marieae*, 18  
*Apophysactinia*, 28  
*Apophysactinia duplospinula*, 28  
*Apophysactinia testacea*, 28  
*Apophysactinia trispinula*, 28  
*Apophysisphaera elegans*, 29  
*Apophysisphaera parva*, 29  
*Apophysisphaera? membranacea*, 29  
*Apophysisphaera? rosae*, 29  
*Archaeodictyomitra inornata*, 10  
*Archaeodictyomitra oleadita*, 10  
*Belleza*, 10  
*Bisphaera*, 28  
*Bisphaera solidispinosa*, 28  
*Bisphaera benigna*, 28  
*Bisphaera cribrisimilis*, 28  
*Bisphaera c. crassa*, 28  
*Bisphaera c. cribrisimilis*, 28  
*Bisphaera dissimilicortex*, 28  
*Bisphaera solidispinosa*, 28  
*Biphaera uniprocera*, 28  
*Bolena*, 10  
*Bolena zancajosa*, 10  
*Botryostrobus hollisi*, 18  
*Candissa*, 10  
*Candissa mexicana*, 10  
*Canelonus*, 10  
*Canelonus conus*, 10  
*Carpocanium rubyae*, 18  
*Combusta? publica*, 10  
*Complexopora kozuri*, 10  
*Complexopora kiesslingi*, 10  
*Crucella bisulca*, 10  
*Crucella linda*, 10  
*Deviatu deweveri*, 10  
*Duodecimentactinia*, 29  
*Duodecimentactinia ampla*, 29  
*Duodecimentactinia aranea*, 29  
*Duodecimentactinia media*, 29  
*Emiluvia fontana*, 10  
*Entactinia haeckeliana*, 28  
*Entactinia hindeiana*, 28  
*Entactinia mediforma*, 28  
*Entactinia sexradiata*, 28  
*Entactinia octaradiata*, 28  
*Eucyrtidiellum takemurai*, 10  
*Fluegelium inornata*, 10  
*Hexasphaera*, 10  
*Hexasphaera baumgartneri*, 10  
*Helena*, 10  
*Helena exquisita*, 10  
*Higumastra boucoti*, 10  
*Higumastra dunitricai*, 10  
*Hiscocapsa acuta*, 10  
*Homooparonaella barbata*, 10  
*Homooparonaella glinesi*, 10  
*Homooparonaella radians*, 10  
*Homooparonaella scurrae*, 10  
*Hsuum naturale*, 10

*Hsuum santamariaense*, 10  
*Hsuum speciosum*, 10  
*Intracarpus*, 28  
*Intracarpus octaedron*, 28  
*Kilinora*, 10  
*Kilinora lampasa*, 10  
*Lampasa blomeli*, 10  
*Magnentactinia*, 28  
*Magnentactinia fragilis*, 28  
*Magnisphaera*, 28  
*Magnisphaera aitchisoniana*, 28  
*Magnisphaera gigantea*, 28  
*Magnisphaera imperfecta*, 28  
*Meschedea crassicornis*, 28  
*Minocapsa aitali*, 10  
*Minocapsa? tansinhoki*, 10  
*Multientactinia*, 29  
*Multientactinia inconstans*, 29  
*Multientactinia iniqua*, 29  
*Multientactinia iniqua iniqua*, 29  
*Multientactinia i. cancellibasis*, 29  
*Multientactinia reedae*, 29  
*Multientactinia soluta*, 29  
*Napora collieri*, 10  
*Napora espinosa*, 10  
*Napora redonda*, 10  
*Napora sixi*, 10  
*Neoparonaella chocoyaensis*, 10  
*Neoparonaella volatica*, 10  
*Nolita*, 10  
*Nolita ramosa*, 10  
*Novitripus*, 10  
*Novitripus placitus*, 10  
*Novitripus varius*, 10  
*Novixitus jurassicus*, 10  
*Olanda*, 10  
*Olanda olorina*, 10  
*Orbiculifera teres*, 10  
*Palinodromeda fimbria*, 10  
*Pantanellium fishcreekensis*, 10  
*Pantanellium rarum*, 10  
*Paronaella araneae*, 10  
*Paronaella carteri*, 10  
*Paronaella egregia*, 10  
*Paronaella festiva*, 10  
*Paronaella nipomoensis*, 10  
*Paronaella? panda*, 10  
*Parvivacca coraforma*, 10  
*Parvivacca immodica*, 10  
*Parvivacca marina*, 10  
*Parvivacca robusta*, 10  
*Parvivacca varica*, 10  
*Perispyridium bacatum*, 10  
*Phantum*, 10  
*Phantum insperatum*, 10  
*Phormocystis alexandrae*, 18  
*Plenoentactinia*, 29  
*Plenoentactinia concreta*, 29  
*Plenoentactinia pinguis*, 29  
*Plenoentactinia sexangula*, 29  
*Plenoentactinia stella*, 29  
*Podobursa basilica*, 10  
*Podobursa lanza*, 10  
*Podobursa rosea*, 10  
*Praeconocaryomma scatebra*, 10  
*Provisocyntra*, 29  
*Provisocyntra conferta*, 29  
*Pseudocrucella ehrenbergi*, 10  
*Pseudoeucyrtis firmus*, 10  
*Pseudoristola clava*, 10  
*Radiobisphaera*, 28  
*Radiobisphaera acuta*, 28

*Radiobisphaera flamans*, 28  
*Radiobisphaera magnifenestra*, 28  
*Radiobisphaera multa*, 28  
*Radiobisphaera multiaculeata*, 28  
*Radiobisphaera m. multiaculeata*, 28  
*Radiobisphaera m. stellaepolus*, 28  
*Radiobisphaera nazaroviana*, 28  
*Radiobisphaera variantia*, 28  
*Radiobisphaera v. inaequalis*, 28  
*Radiobisphaera v. variantia*, 28  
*Retentactinia*, 29  
*Retentactinia aspera*, 29  
*Retentactinia aspinosa*, 29  
*Retentactinia impedita*, 29  
*Retentactinia interreticulata*, 29  
*Retentactinia levis*, 29  
*Retentactinia longa*, 29  
*Retentactinia l. longa*, 29  
*Retentactinia l. pilosa*, 29  
*Retentactinia l. densa*, 29  
*Retentactinia repleta*, 29  
*Retisphaera*, 29  
*Retisphaera distratalis*, 29  
*Retisphaera ovata*, 29  
*Retisphaera rota*, 29  
*Siphocampe grantmackieii*, 18  
*Spongactinia*, 29  
*Spongactinia flexa*, 29  
*Spongactinia inusitata*, 29  
*Spongactinia? ambigua*, 29  
*Spongactinia? mira*, 29  
*Spongocapsula hooveri*, 10  
*Spongosphaera*, 29  
*Spongosphaera grandispongiosa*, 29  
*Spongosphaera trendalliana*, 29  
*Spongosphaera varia*, 29  
*Spongotrochus antoniae*, 18  
*Stichomitra? matsuokai*, 10  
*Suna ehrenbergi*, 10  
*Suna haeckeli*, 10  
*Tappanenella*, 10  
*Tappanenella novacubica*, 10  
*Teichertus*, 10  
*Teichertus cavernosus*, 10  
*Teichertus? notus*, 10  
*Teichertus splendidus*, 10  
*Tetraditryma emilei*, 10  
*Triactoma longoriai*, 10  
*Tritabs imperfecta*, 10  
*Tritabs mexicana*, 10  
*Tritabs suavis*, 10  
*Triversus fastigatus*, 10  
*Turanta luminosa*, 10  
*Unuma gorda*, 10  
*Xitus antiquus*, 10  
*Xitus singularis*, 10  
*Zhamoidellum? exquisita*, 10  
 RNA analysis  
 Diatoms, 24  
 Tertiary, lowermost  
 nannofossils  
 Geulhemmerberg, The Netherlands, 15  
 Tethyan biostratigraphy  
 Paleocene, latest, 25  
 Thanetian  
 Turkey, Van Region  
 foraminifera, 23  
 Turkey, Van region  
 Thanetian  
 foraminifera, 23  
 Van Morkhoven, F. P. C. M., 13

